



NORDISK MICROFIBER

**We make it easy to
buy and use
professional cleaning
articles**



150 mm. Wheel for uneven floors.



Product information

The SOFT wheel is useful when the trolley is used on quarry tiles or very uneven floors. SOFT rubber wheel absorbs the vibrations that come from an uneven floor, therefore the rubber wheels improves the driveability for NRT 2.0. Fits to [Nordic Recycle trolley 2.0](#) – all models.

Washing and maintenance

- Wipe with damped cloth

Disposal: We recommend disposal at recycling centre to form part of the circular economy.



Material

Plastic/rubber



Colour

Black/grey



Measurement

D150 mm



Weight

0.52 kg



Guarantee

3 years



Number per package

1 pc.



Production ISO

14001 & 9001



Reach

Yes

[Download produktbillede \(PNG\)](#) | [Download højt opløseligt produktbillede \(PNG\)](#)

Nordisk Microfiber ApS

Agerhatten 27A, 5220 Odense SØ, telephone: +45 65 98 20 40, email: info@nordiskmicrofiber.dk





Nordisk Microfiber ApS

Agerhatten 27A, 5220 Odense SØ, telephone: +45 65 98 20 40

Email: info@nordiskmicrofiber.dk | www.nordiskmicrofiber.com.