



NORDISK MICROFIBER

**We make it easy to
buy and use
professional cleaning
articles**



STANDA

60 cm microfiber mop, particularly suitable as scrub mop, i.a. in kitchens and toilets. Removes stubborn dirt.



Product information

For epoxy floors or rough surfaces such as tiles and quarry tiles. The absorbing membrane ensures an increased reach. Suitable for absorbing water from rough floors when used in dry condition. Can be used dry, damp or wet. Fits to 60 cm lightweight mop frame, art. no. [3004](#). Ecolabelled with OEKO-TEX® STANDARD 100, 2176-336 DTI.

Washing and maintenance

- Do not use strong alkaline detergents (≤ 12)
- Use regular detergent (Ph<10,5) – dose 1/3 of recommended dosage
- Do not use fabric softener, chlorine or bleach
- On the products, there is a single dot icon indicating they should be dried at 30 degrees for a maximum of 80 minutes or at 60 degrees for a maximum of 55 minutes – and preferably with cold air drying at the end.

Disposal: To be disposed of with waste disposal or recycled in order to form part of the [circular economy](#).

Product carbon footprint:

The product’s total carbon footprint amounts to **1,91 kg CO₂-eq. per unit**, calculated using a life cycle assessment (LCA).

Documentation: The calculation has been carried out in accordance with ISO 14040/44. Further details are available in the associated LCA report.

 OEKO-TEX Yes	 Material 70% polyester/30% polyamide	 Colour White/blue
 Max washing temperature 95 degrees	 Number of washing 300	 Dosage 250 ml
 Measurement 13x62/66 cm	 Velcro/pocket Velcro	 Weight 105 g
 Traceability Product name and art. no. on label	 Guarantee 3 years	 Number per package 5 pcs.
 Number per parcel 100 pcs.	 Number per pallet 2000 pcs.	 ISO Production ISO 14001 & 9001
 Reach Yes		

Nordisk Microfiber ApS

Agerhatten 27A, 5220 Odense SØ, telephone: +45 65 98 20 40, email: info@nordiskmicrofiber.dk





Nordisk Microfiber ApS

Agerhatten 27A, 5220 Odense SØ, telephone: +45 65 98 20 40

Email: info@nordiskmicrofiber.dk | www.nordiskmicrofiber.com.