


NORDISK MICROFIBER

We make it easy to buy and use professional cleaning articles


PERFORMANCE
Max Universal 40 cm

Performance Universal Mop Max Plus

1660-PLUS

60 cm combination mop, that effeciently both collects dirt, absorbs water and cleans stubborn dirt. Ideal for areas used by numerous people or with a lot of dirt.



Product information

For almost all types of floors, especially suitable for tiles, quarry tiles etc. The long nooses on the edge ensures a good sweep. Can be used dry, damp or wet. Fits to 40 cm lightweight mop frame, art. no. 3004. Ecolabelled with OEKO-TEX® STANDARD 100, 2176-336 DTI.

Washing and maintenance

- Do not use strong alkaline detergents (≤ 12)
- Use regular detergent (Ph<10,5) – dose 1/3 of recommended dosage
- Do not use fabric softener, chlorine or bleach
- On the products, there is a single dot icon indicating they should be dried at 30 degrees for a maximum of 80 minutes or at 60 degrees for a maximum of 55 minutes – and preferably with cold air drying at the end.

Disposal: To be disposed of with waste disposal or recycled in order to form part of the circular economy.

Product carbon footprint:
The product's total carbon footprint amounts to **1,14 kg CO₂-eq. per unit**, calculated using a life cycle assessment (LCA).

Documentation: The calculation has been carried out in accordance with ISO 14040/44. Further details are available in the associated LCA report.

OEKO-TEX
Yes

Material
60% polyester/30% polyamide/10% cotton

Colour
White/blue

Max washing temperature
95 degrees

Number of washing
300

Dosage
250 ml

Measurement
13x60 cm

Velcro/pocket
Velcro

Weight
107 g

Traceability
Product name and art. no. on label

Guarantee
3 years

Number per package
5 pcs.

Number per parcel
100 pcs.

Number per pallet
2000 pcs.

Production ISO
14001 & 9001

Reach
Yes

Download produktbillede (PNG) | Download højtopløseligt produktbillede (PNG)

Nordisk Microfiber ApS
Agerhatten 27A, 5220 Odense SØ, telephone: +45 65 98 20 40, email: info@nordiskmicrofiber.dk



Nordisk Microfiber ApS

Agerhatten 27A, 5220 Odense SØ, telephone: +45 65 98 20 40

Email: info@nordiskmicrofiber.dk. | www.nordiskmicrofiber.com.