



TEST REPORT

Mikro Vision Mop Heavy Duty

Test item: Bacteria pick-up rate (microorganisms)
ISO standard: 6330:2021
Report no.: DL-20230713-8
Test date: 05.06.2023
Issue date: 13.07.2023

Mikro Vision Mop Heavy Duty



FA-43-47-HD

For test result please see next page




TEST RESULT

Mikro Vision Mop Heavy Duty

Pick-up rate (%)	Before washing: 99.9% After washing (300 times): 98.9%
Test bacteria	Staphylococcus aureus ATCC 6538 (microorganisms). Exists in e.g. kitchens, on kitchen utensils, in foodstuffs and dairy products. Causes: vomit, food poisoning and diarrhea.
Art. no.	FA-43-47-HD

Before wipe:



Bacteria
Staphylococcus aureus

After wipe:



Bacteria
Staphylococcus aureus

Calculation of the cloth's capacity to pick up bacteria and microorganisms:

$$\text{Pick-up rate} = [(M_b - M_c) / M_b] \times 100$$

M_b = Average of the number of bacteria on the test surface before pick-up.
(The amount of bacteria which was spread on the surface)

M_c = Average of the number of bacteria on the test surface after pick-up.
(The amount of bacteria on the surface after the wipe)



TEST METHOD


Mikro Vision Mop Heavy Duty



Test conditions:

Amount of water	1 time of specimen weight
Load weight	2 kg
Surface	Vinyl tile (wax coated)
Sliding range	30 cm
Washing condition	Industry washing machine, 90 °C Alkali detergent Washing times: 300 times

Illustration of the test method:



CONCLUSION

Mikro Vision Mop Heavy Duty has a documented pickup of microorganisms of min. 98.9%.

The test result is based on test with bacteria within the group of microorganisms, where viruses also are included as a part of this group because of their sizes.

When microfiber product's ability to pick up microorganisms is tested, the size of the test object is pivotal. Thus, it is not important whether the microorganism is a bacterium or a virus. Microfiber does not distinguish between the types of microorganisms when they pick them up. Microfiber's ability to pick up microorganisms varies from product to product.

The tests are always conducted with bacteria within the art of microorganisms because of two reasons:

- 1) Bacteria constitute the most extensive health risk because they multiply and evolve with time.
Viruses disappear after a certain amount of hours.
- 2) Bacteria are more safe to use in tests and they are more accessible as test objects.



TEST REPORT

High Performance Mop

Test item: Bacteria pick-up rate (microorganisms)
ISO standard: 6330:2021
Report no.: DL-20230713-10
Test date: 05.06.2023
Issue date: 13.07.2023

High Performance Mop



FX-25-80
FX-30-95
FX-40-110
FX-60-145

For test result please see next page



TEST RESULT

High Performance Mop

Pick-up rate (%)	Before washing: 99.9% After washing (300 times): 98.9%
Test bacteria	Staphylococcus aureus ATCC 6538 (microorganisms). Exists in e.g. kitchens, on kitchen utensils, in foodstuffs and dairy products. Causes: vomit, food poisoning and diarrhea.
Art. no.	FX-25-80, FX-30-95, FX-40-110, FX-60-145

Before wipe:



Bacteria
Staphylococcus aureus

After wipe:



Bacteria
Staphylococcus aureus

Calculation of the cloth's capacity to pick up bacteria and microorganisms:

$$\text{Pick-up rate} = [(M_b - M_c) / M_b] \times 100$$

M_b = Average of the number of bacteria on the test surface before pick-up.
(The amount of bacteria which was spread on the surface)

M_c = Average of the number of bacteria on the test surface after pick-up.
(The amount of bacteria on the surface after the wipe)



TEST METHOD


High Performance Mop



Test conditions:

Amount of water	1 time of specimen weight
Load weight	2 kg
Surface	Vinyl tile (wax coated)
Sliding range	30 cm
Washing condition	Industry washing machine, 90 °C Alkali detergent Washing times: 300 times

Illustration of the test method:



CONCLUSION

High Performance Mop has a documented pickup of microorganisms of min. 98.9%.

The test result is based on test with bacteria within the group of microorganisms, where viruses also are included as a part of this group because of their sizes.

When microfiber product's ability to pick up microorganisms is tested, the size of the test object is pivotal. Thus, it is not important whether the microorganism is a bacterium or a virus. Microfiber does not distinguish between the types of microorganisms when they pick them up. Microfiber's ability to pick up microorganisms varies from product to product.

The tests are always conducted with bacteria within the art of microorganisms because of two reasons:

- 1) Bacteria constitute the most extensive health risk because they multiply and evolve with time.
Viruses disappear after a certain amount of hours.
- 2) Bacteria are more safe to use in tests and they are more accessible as test objects.



TEST REPORT

Micro Cleany Mop

Test item: Bacteria pick-up rate (microorganisms)
ISO standard: 6330:2021
Report no.: DL-20230713-5
Test date: 05.06.2023
Issue date: 13.07.2023

Micro Cleany Mop



FV-23-A
FV-28-32-G

For test result please see next page




TEST RESULT

Micro Cleany Mop

Pick-up rate (%)	Before washing: 99.9% After washing (300 times): 99.9%
Test bacteria	Staphylococcus aureus ATCC 6538 (microorganisms). Exists in e.g. kitchens, on kitchen utensils, in foodstuffs and dairy products. Causes: vomit, food poisoning and diarrhea.
Art. no.	FV-23-A, FV-28-32-G

Before wipe:



Bacteria
Staphylococcus aureus

After wipe:



Bacteria
Staphylococcus aureus

Calculation of the cloth's capacity to pick up bacteria and microorganisms:

$$\text{Pick-up rate} = [(M_b - M_c) / M_b] \times 100$$

M_b = Average of the number of bacteria on the test surface before pick-up.
(The amount of bacteria which was spread on the surface)

M_c = Average of the number of bacteria on the test surface after pick-up.
(The amount of bacteria on the surface after the wipe)



TEST METHOD


Micro Cleany Mop



Test conditions:

Amount of water	1 time of specimen weight
Load weight	2 kg
Surface	Vinyl tile (wax coated)
Sliding range	30 cm
Washing condition	Industry washing machine, 90 °C Alkali detergent Washing times: 300 times

Illustration of the test method:



CONCLUSION

Micro Cleany Mop has a documented pickup of microorganisms of min. 99.9%.

The test result is based on test with bacteria within the group of microorganisms, where viruses also are included as a part of this group because of their sizes.

When microfiber product's ability to pick up microorganisms is tested, the size of the test object is pivotal. Thus, it is not important whether the microorganism is a bacterium or a virus. Microfiber does not distinguish between the types of microorganisms when they pick them up. Microfiber's ability to pick up microorganisms varies from product to product.

The tests are always conducted with bacteria within the art of microorganisms because of two reasons:

- 1) Bacteria constitute the most extensive health risk because they multiply and evolve with time.
Viruses disappear after a certain amount of hours.
- 2) Bacteria are more safe to use in tests and they are more accessible as test objects.



TEST REPORT

Tentax Ultra Shine Cloth

Test item: Bacteria pick-up rate (microorganisms)
ISO standard: 6330:2021
Report no.: DL-20230713-3
Test date: 05.06.2023
Issue date: 13.07.2023

Tentax Ultra Shine Cloth



MIG-4040-B

For test result please see next page




TEST RESULT

Tentax Ultra Shine Cloth

Pick-up rate (%)	Before washing: 99.9% After washing (300 times): 99.1%
Test bacteria	Staphylococcus aureus ATCC 6538 (microorganisms). Exists in e.g. kitchens, on kitchen utensils, in foodstuffs and dairy products. Causes: vomit, food poisoning and diarrhea.
Art. no.	MIG-4040-B

Before wipe:



Bacteria
Staphylococcus aureus

After wipe:



Bacteria
Staphylococcus aureus

Calculation of the cloth's capacity to pick up bacteria and microorganisms:

$$\text{Pick-up rate} = [(M_b - M_c) / M_b] \times 100$$

M_b = Average of the number of bacteria on the test surface before pick-up.
(The amount of bacteria which was spread on the surface)

M_c = Average of the number of bacteria on the test surface after pick-up.
(The amount of bacteria on the surface after the wipe)



TEST METHOD


Tentax Ultra Shine Cloth



Test conditions:

Amount of water	1 time of specimen weight
Load weight	2 kg
Surface	Vinyl tile (wax coated)
Sliding range	30 cm
Washing condition	Industry washing machine, 90 °C Alkali detergent Washing times: 300 times

Illustration of the test method:



CONCLUSION

Tentax Ultra Shine cloth has a documented pickup of microorganisms of min. 99.1%.

The test result is based on test with bacteria within the group of microorganisms, where viruses also are included as a part of this group because of their sizes.

When microfiber product's ability to pick up microorganisms is tested, the size of the test object is pivotal. Thus, it is not important whether the microorganism is a bacterium or a virus. Microfiber does not distinguish between the types of microorganisms when they pick them up. Microfiber's ability to pick up microorganisms varies from product to product.

The tests are always conducted with bacteria within the art of microorganisms because of two reasons:

- 1) Bacteria constitute the most extensive health risk because they multiply and evolve with time.
Viruses disappear after a certain amount of hours.
- 2) Bacteria are more safe to use in tests and they are more accessible as test objects.



TEST REPORT

Mikro Vision Health Care Mop

Test item: Bacteria pick-up rate (microorganisms)
ISO standard: 6330:2021
Report no.: DL-20230713-6
Test date: 05.06.2023
Issue date: 13.07.2023

Mikro Vision Health Care Mop



FA-29-33-HC
FA-43-47-HC
FA-62-66-HC

For test result please see next page



TEST RESULT

Mikro Vision Health Care Mop


Pick-up rate (%)	Before washing: 99.9% After washing (300 times): 99.7%
Test bacteria	Staphylococcus aureus ATCC 6538 (microorganisms). Exists in e.g. kitchens, on kitchen utensils, in foodstuffs and dairy products. Causes: vomit, food poisoning and diarrhea.
Art. no.	FA-29-33-HC, FA-43-47-HC, FA-62-66-HC

Before wipe:



Bacteria
Staphylococcus aureus

After wipe:



Bacteria
Staphylococcus aureus

Calculation of the cloth's capacity to pick up bacteria and microorganisms:

$$\text{Pick-up rate} = [(M_b - M_c) / M_b] \times 100$$

M_b = Average of the number of bacteria on the test surface before pick-up.
(The amount of bacteria which was spread on the surface)

M_c = Average of the number of bacteria on the test surface after pick-up.
(The amount of bacteria on the surface after the wipe)



TEST METHOD


Mikro Vision Health Care Mop



Test conditions:

Amount of water	1 time of specimen weight
Load weight	2 kg
Surface	Vinyl tile (wax coated)
Sliding range	30 cm
Washing condition	Industry washing machine, 90 °C Alkali detergent Washing times: 300 times

Illustration of the test method:



CONCLUSION

Mikro Vision Health Care Mop has a documented pickup of microorganisms of min. 99.7%.

The test result is based on test with bacteria within the group of microorganisms, where viruses also are included as a part of this group because of their sizes.

When microfiber product's ability to pick up microorganisms is tested, the size of the test object is pivotal. Thus, it is not important whether the microorganism is a bacterium or a virus. Microfiber does not distinguish between the types of microorganisms when they pick them up. Microfiber's ability to pick up microorganisms varies from product to product.

The tests are always conducted with bacteria within the art of microorganisms because of two reasons:

- 1) Bacteria constitute the most extensive health risk because they multiply and evolve with time.
Viruses disappear after a certain amount of hours.
- 2) Bacteria are more safe to use in tests and they are more accessible as test objects.



TEST REPORT

Mikro Vision Mop

Test item: Bacteria pick-up rate (microorganisms)
ISO standard: 6330:2021
Report no.: DL-20230713-1
Test date: 05.06.2023
Issue date: 13.07.2023

Mikro Vision Mop



FA-24-27-B
FA-29-33-B
FA-43-47-B
FA-62-66-B

For test result please see next page




TEST RESULT

Mikro Vision Mop

Pick-up rate (%)	Before washing: 99.9% After washing (300 times): 99.9%
Test bacteria	Staphylococcus aureus ATCC 6538 (microorganisms). Exists in e.g. kitchens, on kitchen utensils, in foodstuffs and dairy products. Causes: vomit, food poisoning and diarrhea.
Art. no.	FA-43-47-B, FA-62-66-B, FA-29-33-B, FA-24-27-B

Before wipe:



Bacteria
Staphylococcus aureus

After wipe:



Bacteria
Staphylococcus aureus

Calculation of the cloth's capacity to pick up bacteria and microorganisms:

$$\text{Pick-up rate} = [(M_b - M_c) / M_b] \times 100$$

M_b = Average of the number of bacteria on the test surface before pick-up.
(The amount of bacteria which was spread on the surface)

M_c = Average of the number of bacteria on the test surface after pick-up.
(The amount of bacteria on the surface after the wipe)



TEST METHOD


Mikro Vision Mop



Test conditions:

Amount of water	1 time of specimen weight
Load weight	2 kg
Surface	Vinyl tile (wax coated)
Sliding range	30 cm
Washing condition	Industry washing machine, 90 °C Alkali detergent Washing times: 300 times

Illustration of the test method:



CONCLUSION

Mikro Vision mop has a documented pickup of microorganisms of min. 99.9%.

The test result is based on test with bacteria within the group of microorganisms, where viruses also are included as a part of this group because of their sizes.

When microfiber product's ability to pick up microorganisms is tested, the size of the test object is pivotal. Thus, it is not important whether the microorganism is a bacterium or a virus. Microfiber does not distinguish between the types of microorganisms when they pick them up. Microfiber's ability to pick up microorganisms varies from product to product.

The tests are always conducted with bacteria within the art of microorganisms because of two reasons:

- 1) Bacteria constitute the most extensive health risk because they multiply and evolve with time.
Viruses disappear after a certain amount of hours.
- 2) Bacteria are more safe to use in tests and they are more accessible as test objects.



TEST REPORT

Ultra Tentax Gentle Cloth

Test item: Bacteria pick-up rate (microorganisms)
ISO standard: 6330:2021
Report no.: DL-20230713-12
Test date: 05.06.2023
Issue date: 13.07.2023

Ultra Tentax Gentle Cloth



MIU-4038-G

For test result please see next page




TEST RESULT

Ultra Tentax Gentle Cloth

Pick-up rate (%)	Before washing: 99.9% After washing (300 times): 99.9%
Test bacteria	Staphylococcus aureus ATCC 6538 (microorganisms). Exists in e.g. kitchens, on kitchen utensils, in foodstuffs and dairy products. Causes: vomit, food poisoning and diarrhea.
Art. no.	MIU-4038-G

Before wipe:



Bacteria
Staphylococcus aureus

After wipe:



Bacteria
Staphylococcus aureus

Calculation of the cloth's capacity to pick up bacteria and microorganisms:

$$\text{Pick-up rate} = [(M_b - M_c) / M_b] \times 100$$

M_b = Average of the number of bacteria on the test surface before pick-up.
(The amount of bacteria which was spread on the surface)

M_c = Average of the number of bacteria on the test surface after pick-up.
(The amount of bacteria on the surface after the wipe)



TEST METHOD


Ultra Tentax Gentle Cloth



Test conditions:

Amount of water	1 time of specimen weight
Load weight	2 kg
Surface	Vinyl tile (wax coated)
Sliding range	30 cm
Washing condition	Industry washing machine, 90 °C Alkali detergent Washing times: 300 times

Illustration of the test method:



CONCLUSION

Ultra Tentax Gentle cloth has a documented pickup of microorganisms of min. 99.9%.

The test result is based on test with bacteria within the group of microorganisms, where viruses also are included as a part of this group because of their sizes.

When microfiber product's ability to pick up microorganisms is tested, the size of the test object is pivotal. Thus, it is not important whether the microorganism is a bacterium or a virus. Microfiber does not distinguish between the types of microorganisms when they pick them up. Microfiber's ability to pick up microorganisms varies from product to product.

The tests are always conducted with bacteria within the art of microorganisms because of two reasons:

- 1) Bacteria constitute the most extensive health risk because they multiply and evolve with time.
Viruses disappear after a certain amount of hours.
- 2) Bacteria are more safe to use in tests and they are more accessible as test objects.



TEST REPORT

Mikro Vision Glas Mop

Test item: Bacteria pick-up rate (microorganisms)
ISO standard: 6330:2021
Report no.: DL-20230713-7
Test date: 05.06.2023
Issue date: 13.07.2023

Mikro Vision Glas Mop



P-1200-G

For test result please see next page




TEST RESULT

Mikro Vision Glas Mop

Pick-up rate (%)	Before washing: 99.9% After washing (300 times): 99.8%
Test bacteria	Staphylococcus aureus ATCC 6538 (microorganisms). Exists in e.g. kitchens, on kitchen utensils, in foodstuffs and dairy products. Causes: vomit, food poisoning and diarrhea.
Art. no.	P-1200-G

Before wipe:



Bacteria
Staphylococcus aureus

After wipe:



Bacteria
Staphylococcus aureus

Calculation of the cloth's capacity to pick up bacteria and microorganisms:

$$\text{Pick-up rate} = [(M_b - M_c) / M_b] \times 100$$

M_b = Average of the number of bacteria on the test surface before pick-up.
(The amount of bacteria which was spread on the surface)

M_c = Average of the number of bacteria on the test surface after pick-up.
(The amount of bacteria on the surface after the wipe)



TEST METHOD


Mikro Vision Glas Mop



Test conditions:

Amount of water	1 time of specimen weight
Load weight	2 kg
Surface	Vinyl tile (wax coated)
Sliding range	30 cm
Washing condition	Industry washing machine, 90 °C Alkali detergent Washing times: 300 times

Illustration of the test method:



CONCLUSION

Mikro Vision Glas Mop has a documented pickup of microorganisms of min. 99.8%.

The test result is based on test with bacteria within the group of microorganisms, where viruses also are included as a part of this group because of their sizes.

When microfiber product's ability to pick up microorganisms is tested, the size of the test object is pivotal. Thus, it is not important whether the microorganism is a bacterium or a virus. Microfiber does not distinguish between the types of microorganisms when they pick them up. Microfiber's ability to pick up microorganisms varies from product to product.

The tests are always conducted with bacteria within the art of microorganisms because of two reasons:

- 1) Bacteria constitute the most extensive health risk because they multiply and evolve with time.
Viruses disappear after a certain amount of hours.
- 2) Bacteria are more safe to use in tests and they are more accessible as test objects.



TEST REPORT

Super Tentax Cloth

Test item: Bacteria pick-up rate (microorganisms)
ISO standard: 6330:2021
Report no.: DL-20230713-2
Test date: 05.06.2023
Issue date: 13.07.2023

Super Tentax Cloth



MIS-3232-B
MIS-3232-R
MIS-3232-G
MIS-3232-GU

MIS-4040-B
MIS-4040-R
MIS-4040-G
MIS-4040-GU

For test result please see next page




TEST RESULT

Super Tentax Cloth


Pick-up rate (%)	Before washing: 99.9% After washing (300 times): 98.2%
Test bacteria	Staphylococcus aureus ATCC 6538 (microorganisms). Exists in e.g. kitchens, on kitchen utensils, in foodstuffs and dairy products. Causes: vomit, food poisoning and diarrhea.
Art. no.	MIS-3232-B, MIS-3232-R, MIS-3232-G, MIS-3232-GU, MIS-4040-B, MIS-4040-R, MIS-4040-G, MIS-4040-GU

Before wipe:



Bacteria
Staphylococcus aureus

After wipe:



Bacteria
Staphylococcus aureus

Calculation of the cloth's capacity to pick up bacteria and microorganisms:

$$\text{Pick-up rate} = [(M_b - M_c) / M_b] \times 100$$

M_b = Average of the number of bacteria on the test surface before pick-up.
(The amount of bacteria which was spread on the surface)

M_c = Average of the number of bacteria on the test surface after pick-up.
(The amount of bacteria on the surface after the wipe)



TEST METHOD


Super Tentax Cloth



Test conditions:

Amount of water	1 time of specimen weight
Load weight	2 kg
Surface	Vinyl tile (wax coated)
Sliding range	30 cm
Washing condition	Industry washing machine, 90 °C Alkali detergent Washing times: 300 times

Illustration of the test method:



CONCLUSION

Super Tentax cloth has a documented pickup of microorganisms of min. 98.2%.

The test result is based on test with bacteria within the group of microorganisms, where viruses also are included as a part of this group because of their sizes.

When microfiber product's ability to pick up microorganisms is tested, the size of the test object is pivotal. Thus, it is not important whether the microorganism is a bacterium or a virus. Microfiber does not distinguish between the types of microorganisms when they pick them up. Microfiber's ability to pick up microorganisms varies from product to product.

The tests are always conducted with bacteria within the art of microorganisms because of two reasons:

- 1) Bacteria constitute the most extensive health risk because they multiply and evolve with time.
Viruses disappear after a certain amount of hours.
- 2) Bacteria are more safe to use in tests and they are more accessible as test objects.